



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,789	01/27/2004	Michael J. Cusick	OSTEONICS 3.0-449	4013
530	7590	10/27/2006	EXAMINER	
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK 600 SOUTH AVENUE WEST WESTFIELD, NJ 07090			BARRETT, THOMAS C	
			ART UNIT	PAPER NUMBER
			3738	

DATE MAILED: 10/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/766,789	Applicant(s) CUSICK ET AL.	
	Examiner Thomas C. Barrett	Art Unit 3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 June 2006.
 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-43 and 45-51 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☒ Claim(s) 37-41, 50 and 51 is/are allowed.
 6) ☒ Claim(s) 1-3, 13-15, 25-27, 42 and 43 is/are rejected.
 7) ☒ Claim(s) 4-12, 16-24, 28-36 and 45-49 is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>4-06</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments, filed June 5, 2006, have been fully considered and are persuasive. The rejection of claims 1-43 and 45-51 based on Pohl has been withdrawn. However, a new rejection has been made.

In regards to the means-plus-function arguments, the "alignment means" invoked by the Applicant is one that is "for aligning said guide along a translational path and first and second rotational paths" and anything that meets this definition would be equivalent to the means claimed.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 13-15, 25-27, 42-43 are rejected under 35 U.S.C. 102(b) as being anticipated by Bowman et al. (4,952,213 A) as cited in Applicant's IDS. Bowman et al. discloses an apparatus (Fig. 2) for aligning an instrument during an arthroplastic surgical procedure, said apparatus comprising a guide (24) adapted for guiding an instrument during said arthroplastic procedure; a first assembly (e.g. 96) coupled to said guide adapted for positioning said guide along a translational path in controlled increments upon operation of said first assembly; a second assembly (e.g. 84) coupled

Art Unit: 3738

to said guide adapted for positioning said guide along a first rotational path in controlled increments upon operation of said second assembly; and a third assembly (e.g. 72) coupled to said guide adapted for positioning said instrument guide along a second rotational path in controlled increments upon operation of said third assembly, whereby said guide is maintained in fixed position along said translational path and said first and second rotational paths upon termination of the operation of said first, second and third assemblies.

Allowable Subject Matter

Claims 4-12, 16-24, 28-36 and 45-49 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 37-41 and 50-51 are allowed over the prior art of record.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas C. Barrett whose telephone number is (571) 272-4746. The examiner can normally be reached on Mon. -Fri. from 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thomas C. Barrett
Examiner
Art Unit 3738

A handwritten signature in black ink, appearing to read 'Tom Barrett', with a stylized flourish at the end.

TOM BARRETT
PRIMARY EXAMINER
TECHNOLOGY CENTER 3700